

Overview

I	Introduction	1
II	Landscape analysis	31
II.1	Analysis of the present ecological condition of the landscape	31
II.1.1	General remarks on objectives and methods	31
II.1.2	Landscape history	35
II.1.3	Abiotic potentials	63
II.1.4	Real and potential vegetation	110
II.1.5	Zoocoenoses and indicator species	134
II.1.6	Important habitat types of the NE-German agricultural landscape	248
II.2	Landscape ecological units	424
II.2.1	Method for the characterisation and mapping of landscape units	424
II.2.2	Indicators of the spatial reference of landscape ecological studies	426
II.2.3	Demarcation and inventory of landscape ecological units	431
II.2.4	Functional relationships within and between landscape units	434
II.3	Complex ecological considerations on a landscape scale	440
II.3.1	Application of the concept of hemeroby in agricultural landscapes	440
II.3.2	Habitat models	448
II.3.3	Habitat Component Analysis (HCA)	457
III	A methodological primer for the determination of nature conservation targets in agricultural landscapes	467
IV	A conservation evaluation scheme for agricultural landscapes	514
V	Scientific background for a nature conserving agriculture	529
VI	Modelling for a participatory development of sustainable land use systems	573
VII	Implementation of the results of the Schorfheide-Chorin Project	613
VIII	Summary	638
IX	References	646

Contents

Editorial	IX
Aknowledgements	X
I Introduction	1
I.1 Agriculture and nature conservation	1
I.2 Starting points	4
I.2.1 General tendencies	4
I.2.2 The European situation	6
I.2.3 The German situation	7
I.2.4 Consequences	8
I.3 Concept and organisation of the Schorfheide-Chorin Research Project	11
I.4 The study area of the Schorfheide-Chorin Project	16
I.5 The study sites	25
I.6 Synopsis and assessment of the project results	28
II Landscape analysis	31
II.1 Analysis of the present ecological condition of the landscape	31
II.1.1 General remarks on objectives and methods	31
II.1.2 Landscape history	35
II.1.2.1 Introduction	35
II.1.2.2 Available materials and their possibilities for the reconstruction of former landscape conditions	36
II.1.2.2.1 Literature	36
II.1.2.2.2 Maps	37
II.1.2.2.3 Remote reconnaissance documentation	38
II.1.2.2.4 Files	38
II.1.2.2.5 Forestry management books and site descriptions	38
II.1.2.2.6 Landscape descriptions, land registers and travel accounts	39
II.1.2.2.7 Field and place name registers	40
II.1.2.2.8 Landscape paintings, drawings and photographs	40
II.1.2.2.9 Pollen and macro-fossil analysis	41
II.1.2.3 Methods for the ascertainment of landscape change by means of changes in land use and habitat type and landscape elements	42
II.1.2.3.1 Materials used	43
II.1.2.3.2 Use of a Geographic Information System (GIS)	43
II.1.2.3.3 Classification key for the land use and habitat type mapping	44
II.1.2.3.4 Mapping method	45
II.1.2.3.5 Statistical analyses and cartographic presentation	47

II.1.2.4	Landscape change in the study area	49
II.1.2.4.1	From the Mesolithic period until modern times	49
II.1.2.4.2	Transformation since the beginning of the 19th century	51
II.1.2.5	Conclusions	58
II.1.3	Abiotic potentials	63
II.1.3.1	Soil potentials and soil quality in the context of agricultural land use	63
II.1.3.1.1	Introduction	63
II.1.3.1.2	Assessment of soil potentials	64
II.1.3.1.3	Assessment of soil quality	80
II.1.3.2.	Landscape water budget, landscape runoff, and nitrogen transport	98
II.1.3.2.1	Introduction	99
II.1.3.2.2	Modelling ground water recharge	103
II.1.3.2.3	Modelling nitrogen travelling time	104
II.1.3.2.4	Modelling nitrogen transport into the ground water	105
II.1.3.2.5	Results from the Sernitz catchment area	107
II.1.4	Real and potential vegetation	110
II.1.4.1	Introduction: use of vegetation in the analysis of the ecological condition of the landscape	110
II.1.4.2.	Methods of registration and presentation of current vegetation	111
II.1.4.2.1	Vegetation analysis and tables	111
II.1.4.2.2	Vegetation mapping	112
II.1.4.2.3	Results of vegetation mapping	112
II.1.4.2.4	Conclusions from vegetation mapping	113
II.1.4.2.5	Final comments on the method of vegetation mapping	119
II.1.4.3	Characteristic and rare species	119
II.1.4.3.1	Methods	119
II.1.4.3.2	Results and discussion	120
II.1.4.4	Deviation of potential natural vegetation (PNV)	125
II.1.4.4.1	Concept of PNV	125
II.1.4.4.2	Methods	126
II.1.4.4.3	Electronic data processing	127
II.1.4.4.4	Results	128
II.1.4.5.5	Discussion of the method	128
II.1.4.5	Application of PNV	130
II.1.4.5.1	Method of PNV application	130
II.1.4.5.2	Conclusions	132
II.1.5	Zoocoenoses and indicator species	134
II.1.5.1	Some principles of zoological approaches to landscape analysis	134
II.1.5.2	Characterisation of soil invertebrate assemblages with respect to nature conservation	137
II.1.5.2.1	Introduction	137
II.1.5.2.2	Status of soil invertebrate biodiversity in agricultural ecosystems	138
II.1.5.2.3	Factors influencing diversity of invertebrate assemblages	141
II.1.5.2.4	Ecological characteristics of the macroarthropod community in the cultural landscape – indicator systems of human impact ...	145
II.1.5.2.5	Characteristics of soil arthropod assemblages of specific agrarian habitat types	147
II.1.5.3	Qualification of herbivorous insects as indicators of landscape conditions	158
II.1.5.3.1	Analysis and evaluation (characterisation) of representative types of habitats	158

II.1.5.3.2	The influence of environmental parameters on species and communities	164
II.1.5.3.3	Discussion and conclusions	169
II.1.5.4	Small mammal communities as indicators	170
II.1.5.4.1	Introduction	170
II.1.5.4.2	Impact of agriculture on the abundance of small mammals and the composition of their communities	170
II.1.5.4.3	Conclusions for nature conservation	173
II.1.5.5	The target species approach	175
II.1.5.5.1	Corn Bunting <i>Emberiza calandra</i>	179
II.1.5.5.2	Grey Partridge <i>Perdix perdix</i>	183
II.1.5.5.3	Quail <i>Coturnix coturnix</i>	194
II.1.5.5.4	Skylark <i>Alauda arvensis</i>	203
II.1.5.5.5	Barn Owl <i>Tyto alba</i>	215
II.1.5.5.6	Common Crane <i>Grus grus</i>	219
II.1.5.5.7	Fire-bellied Toad <i>Bombina bombina</i>	226
II.1.5.6	Determination of 'regionally typical species' using birds as an example	235
II.1.5.6.1	Introduction and aims	235
II.1.5.6.2	Reference region	236
II.1.5.6.3	Data materials and methods	237
II.1.5.6.4	Results	237
II.1.5.6.5	Summarising discussion	246
II.1.6	Important habitat types of the NE-German agricultural landscape ...	248
II.1.6.1	Arable fields as habitat for flora and fauna – a synopsis	248
II.1.6.1.1	Arable fields – habitat description and characteristic features ..	250
II.1.6.1.2	Flora	265
II.1.6.1.3	Fauna	277
II.1.6.1.4	Evaluation and consequences for nature conservation	292
II.1.6.2	Grassland as habitat for flora and fauna – a review	297
II.1.6.2.1	Introduction	297
II.1.6.2.2	Grasslands – habitat description and characteristic features ..	298
II.1.6.2.3	Flora	308
II.1.6.2.4	Fauna	314
II.1.6.2.5	Conclusions for the improved protection of grassland ecosystems	325
II.1.6.3	Mires in agricultural landscapes	331
II.1.6.3.1	Introduction	331
II.1.6.3.2	Growing peatlands – drained peatlands: processes, functions and characteristics	332
II.1.6.3.3	Targets for conservation and development of peatlands	363
II.1.6.4	Kettle holes – varied habitats in the agricultural landscape	371
II.1.6.4.1	Introduction	371
II.1.6.4.2	Loss of kettle holes	372
II.1.6.4.3	Genesis	374
II.1.6.4.4	Hydrology	377
II.1.6.4.5	Vegetation	381
II.1.6.4.6	Fauna	391
II.1.6.4.7	Conclusions	392
II.1.6.5	Development potentials of semi-dry grasslands	395
II.1.6.5.1	Importance of seed potentials and humus contents for the conservation of semi-dry grasslands	395
II.1.6.5.2	The spider assemblages of nutrient-poor and sandy dry grasslands	417